
業 績

< 主な洋論文 >

1. Kudo S, Tamura S, Hirota S, Sano Y, Yamano H, Serizawa M, Fukuoka T, Mitsuoka H, Nakajima T, Kusaka H. The problem of de novo colorectal carcinoma. *Eur J Cancer*. 1995 Jul-Aug;31A(7-8):1118-20.
2. Ono Y, Hirabayashi K, Ishida M, Sakuma K, Tomita S, Sano Y, Ichikawa K, Terano A, Ueda Y, Fujimori T. Helicobacter pylori infection in early gastric adenocarcinoma: relationship between histologic subtypes and ulcer-formation. *J Physiol Pharmacol*. 1997 Sep;48 Suppl 4:123-31.
3. Kusaka T, Fukui H, Sano Y, Ueda Y, Chiba T, Fujimori T. Analysis of K-ras codon 12 mutations and p53 overexpression in colorectal nodule-aggregating tumors. *J Gastroenterol Hepatol*. 2000 Oct;15(10):1151-7.
4. Hironaka SI, Boku N, Ohtsu A, Nagashima F, Sano Y, Muto M, Fujii T, Tajiri H, Yoshida S. Sequential methotrexate and 5-fluorouracil therapy for gastric cancer patients with bone metastasis. *Gastric Cancer*. 2000 Aug 4;3(1):19-23.
5. Kato S, Fujii T, Koba I, Sano Y, Fu KI, Parra-Blanco A, Tajiri H, Yoshida S, Rembacken B. Assessment of colorectal lesions using magnifying colonoscopy and mucosal dye spraying: can significant lesions be distinguished? *Endoscopy*. 2001 Apr;33(4):306-10.
6. Naylor GM, Fujii T, Ishii H, Kato S, Sano Y, Yoshida S. A 0.8-mm depressed adenoma of the colon with high-grade dysplasia. *Endoscopy*. 2001 Oct;33(10):891-3.
7. Arao J, Sano Y, Fujii T, Kato S, Fu KI, Yoshino T, Ochiai A, Fujimori T, Yoshida S. Cyclooxygenase-2 is overexpressed in serrated adenoma of the colorectum. *Dis Colon Rectum*. 2001 Sep;44(9):1319-23.
8. Tahara M, Ohtsu A, Boku N, Nagashima F, Muto M, Sano Y, Yoshida M, Mera K, Hironaka S, Tajiri H, Yoshida S. Sequential methotrexate and 5-fluorouracil therapy for gastric cancer patients with peritoneal dissemination: a retrospective study. *Gastric Cancer*. 2001;4(4):212-8.
9. Fu KI, Fujii T, Kato S, Sano Y, Koba I, Mera K, Saito H, Yoshino T, Sugito M, Yoshida S. A new endoscopic tattooing technique for identifying the location of colonic lesions during laparoscopic surgery: a comparison with the conventional technique. *Endoscopy*. 2001 Aug;33(8):687-91.
10. Fujii T, Hasegawa RT, Saitoh Y, Fleischer D, Saito Y, Sano Y, Kato S. Chromoscopy during colonoscopy. *Endoscopy*. 2001 Dec;33(12):1036-41. Review.
11. Fujimori T, Fujii S, Kitajima K, Nishi M, Sano Y. Initial transformed cells of colorectal adenoma: do they occur at the top of the crypt? *J Gastroenterol*. 2002;37(11):982-4. No abstract available.
12. Sano Y, Maeda N. Early colon cancer in serrated adenoma. *Jpn J Clin Oncol* 32 (2):pp1-2, 2002.
13. Manabe T, Sano Y. Early colon cancer changed in shape in a short period. *Jpn J Clin Oncol* 32(12):pp1-2, 2002.

14. Tonooka T, Sano Y, Fujii T, Kato S, Yoshino T, Fu KI, Hironaka S, Ochiai A, Yoshida S. Adenocarcinoma in solitary large hyperplastic polyp diagnosed by magnifying colonoscope: report of a case. *Dis Colon Rectum*. 2002 Oct;45(10):1407-11.
15. Saito Y, Fujii T, Akasu T, Gotoda T, Kozu T, Saito D, Sano Y. Development of an aggressive depressed cancer in a case of familial adenomatous polyposis. *Endoscopy*. 2002 May;34(5):421-3.
16. Fu KI, Muto M, Mera K, Sano Y, Nagashima F, Tahara M, Boku N, Ohtsu A, Kanomata N, Ochiai A, Yoshida S. Carcinoma coexisting with esophageal leiomyoma. *Gastrointest Endosc*. 2002 Aug;56(2):272-3. No abstract available.
17. Fu K-I.; Sano Y.; Kato S.; Fujii T.; Arao J.; Yoshino T.; Sugito M.; Ono M.; Saito N.; Yoshida S. Colonic perforation after endoscopic biopsy of a submucosal tumor: successful conservative treatment. Source: *Digestive Endoscopy*, October 2002, vol. 14, no. 4, pp. 181-183(3)
18. Sano Y, Kuga R, Fu KI, Yoshino T, Yoshida S, Ochiai A, Fujii T. Superficially elevated colonic adenoma changed to undetectable configuration on ordinary endoscopy during treatment with preferential cyclooxygenase-2 inhibitor. *J Gastroenterol*. 2003;38(9):909-10. No abstract available.
19. Kawai H, Ohtsu A, Boku N, Hamamoto Y, Nagashima F, Muto M, Sano Y, Mera K, Yano T, Doi T, Yoshida S. Efficacy and safety profile of S-1 in patients with metastatic gastric cancer in clinical practice: results from a post-marketing survey. *Gastric Cancer*. 2003;6 Suppl 1:19-23.
20. Gono K Yamazaki K, Sano Y, et al. Endoscopic observation of tissue by narrowband illumination. *Optical Review* 2003 Vol. 10, No. 4 211-215.
21. Fu KI, Sano Y, Fujii T. A two-step method for endoscopic marking: do we need to change the needle and re-inject? *Gastrointest Endosc*. 2004 Jul;60(1):166.
22. Sano Y, Kaihara T, Ito H, Fu KI, Machida H, Yoshino T, Fujii T, Yoshida S. A novel endoscopic device for retrieval of polyps resected from the colon and rectum. *Gastrointest Endosc*. 2004 May;59(6):716-9.
23. Sano Y, Machida H, Fu KI, Ito H, Fujii T. Endoscopic mucosal resection and submucosal dissection method for large colorectal tumors. *Dig Endosc*. 2004 16 (s1); s93-s96.
24. Okuno T, Fu KI, Sano Y, Yoshino T, Murakami K, Ochiai A, Yoshida S. Early colon cancers detected by FDG-PET: a report of two cases with immunohistochemical investigation. *Hepatogastroenterology*. 2004 Sep-Oct;51(59):1323-5.
25. Muto M, Nakane M, Katada C, Sano Y, Ohtsu A, Esumi H, Ebihara S, Yoshida S. Squamous cell carcinoma in situ at oropharyngeal and hypopharyngeal mucosal sites. *Cancer*. 2004 Sep 15;101(6):1375-81.
26. Gono K, Obi T, Yamaguchi M, Ohyama N, Machida H, Sano Y, Yoshida S, Hamamoto Y, Endo T. Appearance of enhanced tissue features in narrow-band endoscopic imaging. *J Biomed Opt*. 2004 May-Jun;9(3):568-77.
27. Sano Y, Fujii T, Oda Y, Matsuda T, Takahiro Kozu T, Kudo S, Igarashi M, Iishi H, Fu KI, Kaneko

- K, Hotta K, Yoshino T, Ishikawa H, Murakami Y, Shimoda T, Fujimori T, Ajioka Y, Otani T, Saito H, Ochiai A, Yoshida S, and the Japan Polyp Study Workgroup. A multicenter randomized controlled trial designed to evaluate follow-up surveillance strategies for colorectal cancer: the Japan Polyp Study. *Dig Endosc.* 2004 16 (4), 376-8.
28. Fu KI, Sano Y, Kato S, Fujii T, Nagashima F, Yoshino T, Okuno T, Yoshida S, Fujimori T. Chromoendoscopy using indigo-carmin dye-spraying with magnifying observation. Is the most reliable method for differential diagnosis between non-neoplastic and neoplastic colorectal lesions? A prospective study. *Endoscopy.* 2004 Dec;36(12):1089-93.
 29. Machida H, Sano Y, Hamamoto Y, Muto M, Kozu T, Tajiri H, Yoshida S. Narrow band imaging for differential diagnosis of colorectal mucosal lesions: a pilot study. *Endoscopy.* 2004 Dec;36(12):1094-8.
 30. Sano Y, Tanaka S, Teixeira CR, Aoyama N. Endoscopic appearance of 0-IIc neoplastic colorectal lesions. *Endoscopy.* 2005 Mar;37(3):261-7.
 31. Sano Y, Maeda N, Kanzaki A, Fujii T, Ochiai A, Takenoshita S, Takebayashi Y. Angiogenesis in colon hyperplastic polyp. *Cancer Letter.* 2005 Feb 10;218(2):223-8.
 32. Sano Y, Saito Y, Fu KI, Matsuda T, Uraoka T, Kobayashi N, Ito H, Machida H, Iwasaki J, Emura F, Hanafusa M, Yoshino T, Kato S, and Fujii T. Efficacy of Magnifying chromoendoscopy for the differential diagnosis of colorectal lesions. *Dig Endosc.* 2005 ; 17(2): 105-116.
 33. Yoshida S, Fu KI, Sano Y, Taku K, Endo Y. Rectal endometriosis. *Gastrointest Endosc.* 2005; 61: 433-434
 34. Sano Y, Muto M, Tajiri H, Ohtsu A, Yoshida S. Optical/digital chromoendoscopy during colonoscopy using narrow band imaging system. *Dig Endoscopy* 2005 17 (suppl.), S60-S65
 35. Muto M, Ugumori T, Sano Y, Ohtsu A, Yoshida S. Narrow-band imaging with magnifying endoscopy for cancer at the head and neck region. *Dig Endoscopy* 2005 17 (suppl.), S22-S23
 36. Fu KI, Sano Y, Kato S, Fujii T, Iwasaki J, Sugito M, Ono M, Saito N, Yoshida S, Fujimori T. Hazards of endoscopic biopsy for flat adenoma before endoscopic mucosal resection: a case report. *Dig Dis Sci.* 2005 Jul;50(7):1324-7.
 37. Muto M, Katada C, Sano Y, et al. Narrowband imaging: new diagnostic approach to visualize angiogenesis in the superficial neoplasm. *Clinical Gastroenterology and Hepatology Clin Gastroenterol Hepatol.* 2005 Jul;3(7 Suppl 1):S16-20.
 38. Fu KI, Sano Y, Kato S, Fujii T, Sugito M, Ono M, Saito N, Kawashima K, Yoshida S. Pneumoscrotum: a rare manifestation of perforation associated with therapeutic colonoscopy. *World J Gastroenterol* 2005; 11(32): 5061-5063.
 39. Yano T, Sano Y, Iwasaki J, Fu KI, Yoshino T, Kato S, Mera K, Ochiai A, Fujii T, and Yoshida Y. Distribution and Prevalence of Colorectal Hyperplastic Polyps Using Magnifying Pan-mucosal Chromoendoscopy and Its Relationship with Synchronous Colorectal Cancer: A Prospective Study. *J Gastroenterol Hepatol.* 2005 Oct;20(10):1572-7.
 40. Fu KI, Sano Y, Fujii T, Kato S, Koba I, Yoshino T, Nagashima F, Ochiai A, Yoshida S. Incidence and Localization of Lymphoid Follicle in Early colorectal neoplasms. *World J Gastroenterol.*

2005; 11(43): 6863-6866

41. Taku K, Sano Y, Fu KI, Saito Y, Iatrogenic perforation at therapeutic colonoscopy: should the endoscopist attempt closure using endoclips or transfer immediately to surgery? *Endoscopy*, 2006 Apr;38(4) : 428.
42. Kato S, Fu KI, Sano Y, Fujii T, Saito Y, Matsuda T, Koba I, Yoshida S, Fujimori T. Magnifying colonoscopy as a non-biopsy technique for differential diagnosis of non-neoplastic and neoplastic lesions. *World J Gastroenterol*. 2006 7;12(9):1416-20
43. Kaihara T, Fu KI, Sano Y, Yamashita K, Ochiai A, Yoshida S, Fujimori T. Depressed-type Early Invasive Colon Cancer in a Patient Treated with Cyclooxygenase-2 Inhibitor. *Dig Dis Sci*. 2006 May;51(5):885-8. Epub 2006 Jun 14.
44. Sano Y, Fu KI, Saito Y, Doi T, Hanafusa M, Fujii S, Fujimori T, Ohtsu A. A Newly Developed Endoscopic Needle Knife Using Bipolar Current for Large Colorectal Tumors (With VTR). *Endoscopy*. 2006 Sep;38 Suppl 5:E95.
45. Iwasaki J, Sano Y, Fu KI, Machida A, Okuno T, Kuwamura H, Yoshino T, Mera K, Kato S, Fujii T, Ohtsu A and Yoshida S. Depressed type (0-IIc) Colorectal Neoplasm in Patients with Family History of First-degree Relatives with Colorectal Cancer: A Cross-sectional Study. *World J Gastroenterol*. 2006 May 21;12(19):3082-7.
46. Sano Y, Horimatsu T, Fu KI, Katagiri A, Muto M, Ishikawa H. Magnifying Observation of Microvascular Architecture of Colorectal Lesions using a Narrow Band Imaging System. *Dig Endoscopy* 2006 18 (s1), S44-S51.
47. Taku K, Sano Y, Fu KI, Saito Y. Iatrogenic Perforation Associated with Therapeutic Colonoscopy: Should the Endoscopist Try to Close Using Endoclips or Call Surgeons Immediately? *Endoscopy*. 2006 Apr;38(4):428.
48. Muto M, Sano Y, Fujii S, Ochiai A, Yoshida S. Endoscopic diagnosis of intraepithelial squamous neoplasia in head and neck and esophageal mucosal sites. *Dig Endoscopy* 2006 18(s1), S2-S5.
49. Fu KI, Sano Y, Kato S, Saito H, Ochiai A, Fujimori T, Saito Y, Matsuda T, Fujii T, Yoshida S. Primary Signet-Ring Cell Carcinoma of the Colon at an Early Stage: A Case Report and a Review of the Literature. *World J Gastroenterol*. 2006 Jun 7;12(21):3446-9. Review.
50. Fu KI, Mashimo Y, Matsuda T, Saito Y, Sano Y, Is a second ligation necessary in endoscopic submucosal resection of rectal carcinoid tumors? *Endoscopy*, 2006 Sep ; 38(9) : 949.
51. Fu KI, Sano Y. Images in clinical medicine. Progression of a pedunculated polyp. *N Engl J Med*. 2006 Nov 2;355(18):1912.
52. Fu K, Kobayashi A, Saito N, Sano Y, Kato S, Ikematsu H, Fujimori T, Kaji Y, Yoshida S, Alpha-fetoprotein-producing colon cancer with atypical bulky lymph node metastasis, *World J Gastroenterol*, 2006 Dec 21 ; 12 (47) : 7715-6.
53. Shirao K, Matsumura Y, Yamada Y, Muro K, Gotoh M, Boku N, Ohtsu A, Nagashima F, Sano Y, Muto M, Tanigawara Y. Phase I study of single-dose oxaliplatin in Japanese patients with malignant tumors. *Jap. J Clin. Oncol*. 2006 36(5):295-300.
54. Sano Y, Fu KI, Saito Y, Doi T, Hanahusa M, Fujii S, Hujimori T, Ohtsu A, A newly developed

- bipolar-current needle-knife for endoscopic submucosal dissection of large colorectal tumors, *Endoscopy*, 2006;38 Suppl 2:E95.
55. Kuang-I F, Sano Y, Kon H, Ikematsu H, Kaji Y, Fujimori T, A composite adenoma and carcinoid tumor in a single rectal polyp, *Endoscopy*, 2006;38 Suppl 2:E62.
 56. Sano Y, Yoshida S. Optical Chromoendoscopy using NBI during Screening Colonoscopy: Its usefulness and application. NBI ATLAS. Comprehensive Atlas of High Resolution Endoscopy and Narrowband Imaging. Edited by: Jonathan Cohen. Blackwell. New York. 2007.
 57. Fu K, Horimatsu T, Sano Y, Katagiri A, Kaji Y, Fujimori T, Metastasis to the appendix from gastric cancer detected incidentally on colonoscopy, *Endoscopy*, 2007 Feb 7.
 58. Sano Y, Fu KI, Ikematsu H. Current Topics of Endoscopic diagnosis and Treatment for Colorectal Cancer in Japan. Review, *Acta Endoscopica*. 2007 Vol.37, No.2, 189-205.
 59. Sano Y, Saitoh Y, Risk management of therapeutic colonoscopy (hot biopsy, polypectomy, endoscopic mucosal resection and endoscopic submucosal dissection). *Digestive Endoscopy*. 2007 19(Suppl. 1), S19-S25.
 60. Fu KI, Kato S, Sano Y, Fujii T, Magnification with chromoendoscopy is the most reliable method to determine whether colorectal lesions are neoplastic or not, *Endoscopy*, 2007 May;39 (5) : 476 ; author reply 477.
 61. Fu KI, Sano Y, Fujii T, Kaji Y, Fujimori T, Magnification or nonmagnification : that is a question, *Am J Gastroenterol*, 2007 Jun ; 102 (6) : 1326 ; author reply 1327.
 62. Fu K, Ikematsu H, Sugito M, Sano Y, Kato S, Kuroki Y, Ishikawa T, Kaji Y, Iatrogenic perforation of the colon following retroflexion maneuver, *Endoscopy*, 2007 Jul 5.
 63. Horimatsu T, Fu KI, Sano Y, Yano T, Saito Y, Matsuda T, Fujimori T, Yoshida S, Acute appendicitis as a rare complication after endoscopic mucosal resection. *Dig Dis Sci*, 2007 Jul;52 (7):1741-4.
 64. Kobayashi N, Saito Y, Sano Y, Uragami N, Michita T, Nasu J, Matsuda T, Fu KI, Fujii T, Fujimori T, Ishikawa T, Saito D, Determining the treatment strategy for colorectal neoplastic lesions : endoscopic assessment or the non-lifting sign for diagnosing invasion depth?, *Endoscopy*, 2007 Aug;39 (8) : 701-5.
 65. Kobayashi N, Toyooka S, Soh J, Ichimura K, Yanai H, Suehisa H, Ichihara S, Yamane M, Aoe M, Sano Y, Date H, Risk factors for recurrence and unfavorable prognosis in patients with stage I non-small cell lung cancer and a tumor diameter of 20 mm or less, *J Thorac Oncol*, 2007 Sep; 2 (9): 808-12.
 66. Taku K, Sano Y, Fu KI, Saito Y, Matsuda T, Uraoka T, Yoshino T, Yamaguchi Y, Fujita M, Hattori S, Ishikawa T, Saito D, Fujii T, Kaneko E, Yoshida S, Iatrogenic perforation associated with therapeutic colonoscopy : a multicenter study in Japan, *J Gastroenterol Hepatol*, 2007 Sep;22 (9):1409-1414.
 67. Tonya Kaltenbach, Yasushi Sano, Shai Friedland, Roy Soetikno, American Gastroenterological Association (AGA) Institute Technology Assessment on Image-Enhanced Endoscopy, *Gastroenterology*, 2007 Oct 30, 134(1):327-40.

68. Saito Y, Uraoka T, Matsuda T, Emura F, Ikehara H, Mashimo Y, Kikuchi T, Fu KI, Sano Y, Saito D, Endoscopic treatment of large superficial colorectal tumors: a case series of 200 endoscopic submucosal dissections (with video), *Gastrointest Endosc*, 2007 Nov; 66(5) : 966-973.
69. Fu KI, Kato S, Sano Y, Onuma EK, Saito Y, Matsuda T, Koba I, Yoshida S, Fujii I, Staging of Early Colorectal Cancers : Magnifying Colonoscopy versus Endoscopic Ultrasonography for Estimation of Depth of Invasion, *Dig Dis Sci*, 2007 Dec 13.
70. Kawaura K, Fujii S, Murata Y, Hasebe T, Ishii G, Itoh T, Sano Y, Saito N, Ochiai A, The lymphatic infiltration identified by D2-40 monoclonal antibody predicts lymph node metastasis in submucosal invasive colorectal cancer, *Pathobiology*, 2007;74(6):328-335.
71. Joseph JY Sung, James YW Lau, Graeme P Young, Y Sano, HM Chiu, JS Byeon, Khay-Guan Yeoh, KL Goh, J Sollano, Rungsun Rerknimtr, Takahisa Matsuda, Kaichun Wu, Simon Ng, Suet Yee Leung, Govind Makharia, VH Chong, KY Ho, Durado Brooks, David Lieberman, and Francis KL Chan, Asia-Pacific Consensus Recommendations for Colorectal Cancer Screening, *GUT*, 2008 (in press)
72. Katagiri A, Fu KI, Sano Y, Ikematsu H, Horimatsu T, Kaneko K, Muto M, Yoshida S. Narrow band imaging with magnifying colonoscopy as a diagnostic tool for predicting the histology of early colorectal neoplasia. *Aliment Pharmacol Ther*. 2008 Feb 14 (in press)
73. Mashimo Y, Matsuda T, Uraoka T, Saito Y, Sano Y, Fu K, Kozu T, Ono A, Fujii T, Saito D. Endoscopic submucosal resection with a ligation device is an effective and safe treatment for carcinoid tumors in the lower rectum. *J Gastroenterol Hepatol*. 2008 Feb;23(2):218-21.
74. Yasushi Sano, Hiroaki Ikematsu, Kuang I Fu, Fabian Emura, Atsushi Katagiri, Takahiro Horimatsu, Kazuhiro Kaneko, Roy Soetikno, Shigeaki Yoshida, Meshed capillary vessels using narrow band imaging for differential diagnosis of small colorectal polyps *Gastrointestinal Endoscopy* 2008 (in press).
75. Sano Y, Emura F, Ikematsu H. Narrow Band Imaging. In: Waye J, Rex D, Williams C Editor. *Colonoscopy: Principles and Practice*. Oxford: Blackwell Publishing, 2008 (In Press).
76. Toshio Uraoka, Yasushi Sano, Yutaka Saito, Hiroshi Saito, Takahisa Matsuda, and Kazuhide Yamamoto, Narrow-band imaging for improving colorectal adenoma detection: Appropriate, system function settings are required, *GUT* (in press)